

GOLF



GANGA AGENCIES

(Since -1996)

Office Furniture | School Furniture | Hospital Furniture

ZERTIFIKAT ◆ CERTIFICATE ◆ CERTIFICADO ◆ CERTIFICATE



Certificate of Registration

This is to certify that

GANGA AGENCIES

UNIT-1 ADD:- NEAR RADHA SWAMI SATSANG BHAWAN,JIND ROAD, ROHTAK, HARYANA-124001.

UNIT-2 ADD:- PLOT NO-14,NEAR JIND BYPASS FLYOVER,GAUSHALI GALL, ROHTAK,HARYANA-124001

Has been assessed and found in as per ISO 9001:2015 compliance to the Requirement of standard details below.

ISO 9001:2015

(QUALITY MANAGEMENT SYSTEM)

For the following scope of activities:

MANUFACTURING & SUPPLY OF MODULAR OFFICE & HOME FURNITURE, HOSPITAL FURNITURE & SCHOOL FURNITURE, STEEL & WOODEN OFFICE FURNITURE,OFFICE CHAIR, STEEL & WOODEN WARDROB (ALMIRAH), TABLE,RACK,AUDITORIUM CHAIR, HOSTEL FURNITURE AND HOSTEL BED.

This certificate is property of Unitas Certification Services & remains valid subject to Satisfactory surveillance Audit.

Certificate No: 2287963

Surveillance Date: (26-JUNE-2024)

Registration Date: (27-JULY-2023)

Certificate Expiry: (26-JUNE-2026)



Chairman
Unitas Certification Services



The certificate is valid as long the organization's meet unitas certification services's requirements. The status of the certificate may be checked at www.unitascertificationservices.co.uk

UNITAS CERTIFICATION SERVICES

Head Office : 54 Ennerdale Close, Lake, Estate, Bletchley, Milton Keynes, Buckinghamshir, MK2 3DQ-UK
website : www.unitascertificationservices.co.uk / email : info@unitascertificationservices.co.uk



Certificate of Compliance

Herby Declare That the Technical File of Product Complied with the Requirement of the MACHINERY DIRECTIVE 2006/42/EC.

GANGA AGENCIES

UNIT-1 ADD:- NEAR RADHA SWAMI SATSANG BHAWAN,JIND ROAD, ROHTAK, HARYANA-124001.

UNIT-2 ADD:- PLOT NO-14,NEAR JIND BYPASS FLYOVER,GAUSHALI GALL, ROHTAK,HARYANA-124001

Has been assessed and found in as per CE MARKING compliance to the Requirement of standard details below.

for the following scope of activities :-

PRODUCTS DESCRIPTION:-

MANUFACTURING & SUPPLY OF MODULAR OFFICE & HOME FURNITURE, HOSPITAL FURNITURE & SCHOOL FURNITURE, STEEL & WOODEN OFFICE FURNITURE,OFFICE CHAIR, STEEL & WOODEN WARDROB (ALMIRAH) , TABLE,RACK,AUDITORIUM CHAIR, HOSTEL FURNITURE AND HOSTEL BED.

APPLICABLE DIRECTIVES:- MACHINERY DIRECTIVE 2006/42/EC

The Certification body has performed an audit of the above product quality system covering the design, manufacture and final inspection of the certified product. The quality system has been assessed, approved and is subject to continuous surveillance according

This certificate is issued under the following conditions:

1. It applies only to the quality system maintained in the manufacture of above Referenced models and it does not substitute the design or type-examination Procedures, if requested.
2. The certificate remains valid until the manufacturing conditions or the quality Systems are changed.
3. The certificate validity is conditioned by positive results or surveillance audits CE. The EC as Shown above can be used, under the responsibility of the Manufacturer, after Completion of an EC Declaration of conformity and Compliance with all relevant.

The statement is based on a single evaluation of one sample of above Mentioned product. It does not imply an assessment of the whole production.

Certificate No: - 8860

Surveillance Date :- (24-JUNE-2024)

Registration Date :- (25-JULY-2023)

Certificate Expiry :- (24-JUNE-2026)



Chairman
Unitas Certification Services



The certificate is valid as long the organization's meet unitas certification services's requirements. The status of the certificate may be checked at www.unitascertificationservices.co.uk

UNITAS CERTIFICATION SERVICES

Head Office : 54 Ennerdale Close, Lake, Estate, Bletchley, Milton Keynes, Buckinghamshir, MK2 3DQ-UK
website : www.unitascertificationservices.co.uk / email : info@unitascertificationservices.co.uk

Certificate of Registration

This is to certify that Medical Devices Quality Management System of

GANGA AGENCIES

UNIT-1 ADD:- NEAR RADHA SWAMI SATSANG BHAWAN,JIND ROAD, ROHTAK, HARYANA-124001, INDIA
UNIT-2 ADD:- PLOT NO-14,NEAR JIND BYPASS FLYOVER,GAUSHALI GALL, ROHTAK,HARYANA-124001

is in accordance with the requirements of the following standard

ISO 13485:2016

(Medical Devices — Quality Management System)

SCOPE

MANUFACTURING & SUPPLY OF MEDICAL HOSPITAL FURNITURE

Certificate Number : 020823069110

To verify certificate, visit at :

www.arscert.com
<https://uafaccreditation.org>
<https://www.iafcertsearch.org/>

Initial Registration Date : 02-Aug-2023
1st Surveillance Date : 02-Jul-2024
2nd Surveillance Date : 02-Jul-2025
Certificate Expiry Date : 01-Aug-2026

Issued by ARS Assessment Private Limited

Managing Director



UAF Address : 400, North Center Dr, STE 202, Norfolk, VA 23502, United States of America :

This certificate remains the property of ARS and must be returned to ARS on Cancellation or Suspension of the certificate. Validity of the certificate is subject to successful completion of surveillance audits. Further clarification regarding the scope of this certificate and the applicability of standard may be obtained by consulting the Organisation on info@arscert.com



Certificate of Compliance

Herby Declare That the Technical File of Product Complied with the Requirement of the BIFMA LEVEL-3

GANGA AGENCIES

UNIT-1 ADD:- NEAR RADHA SWAMI SATSANG BHAWAN,JIND ROAD, ROHTAK, HARYANA-124001

.UNIT-2 ADD:- PLOT NO-14,NEAR JIND BYPASS FLYOVER,GAUSHALI GALL, ROHTAK,HARYANA-124001

BIFMA

(BIFMA LEVEL-3)

For the following scope of activities:

MANUFACTURING & SUPPLY OF MODULAR OFFICE & HOME FURNITURE, HOSPITAL FURNITURE & SCHOOL FURNITURE, STEEL & WOODEN OFFICE FURNITURE,OFFICE CHAIR, STEEL & WOODEN WARDROB (ALMIRAH), STEEL CUP BOARD,STEEL LOCKER TABLE,RACK,AUDITORIUM CHAIR, HOSTEL FURNITURE AND HOSTEL BED.

The Certification body has performed an audit of the above product quality system covering the design, manufacture and final inspection of the certified product. The quality system has been assessed, approved and is subject to continuous surveillance according BIFMA LEVEL-3.

This certificate is issued under the following conditions:

1. It applies only to the quality system maintained in the manufacture of above Referenced models and it does not substitute the design or type-examination Procedures, if requested.
2. The certificate remains valid until the manufacturing conditions or the quality Systems are changed.
3. The certificate validity is conditioned by positive results or surveillance audits. The BIFMA LEVEL-3 as Shown above can be used, under the responsibility of the Manufacturer, after Completion of an BIFMA LEVEL-3 Declaration of conformity and Compliance with all relevant.
4. The statement is based on a single evaluation of one sample of above Mentioned product. It does not imply an assessment of the whole production.

Certificate No: 82874638

Surveillance Date: (07-JULY-2024)

Registration Date: (08-AUG-2023)

Certificate Expiry: (07-JULY-2026)



Chairman
Unitas Certification Services



The certificate is valid as long the organization's meet unitas certification services's requirements. The status of the certificate may be checked at www.unitascertificationservices.co.uk

UNITAS CERTIFICATION SERVICES

Head Office : 54 Ennerdale Close, Lake, Estate, Bletchley, Milton Keynes, Buckinghamshir, MK2 3DQ-UK
website : www.unitascertificationservices.co.uk / email : info@unitascertificationservices.co.uk

ZERTIFIKAT ◆ CERTIFICATE ◆ CERTIFICADO ◆ CERTIFICATE

Executive Chair



GA-101

High Back Chair, Wooden Frame,
Wooden Arm, Torsion Bar,
Gas Lift, Wooden Base



GA-102

Medium Back Chair, Wooden Frame,
Wooden Arm, Torsion Bar,
Gas Lift, Wooden Base

Executive Chair



GA-103

High Back Chair, Wooden Frame,
Wooden Arm, Torsion Bar,
Gas Lift, Wooden Base



GA-104

Medium Back Chair, Wooden Frame,
Wooden Arm, Torsion Bar,
Gas Lift, Wooden Base

Executive Chair



GA-105

High Back Chair, Wooden Frame,
Wooden Arm, Torsion Bar,
Gas Lift, Aluminium Base



GA-106

High Back Chair, Metal Chrome With
Cushion Arms Knee Tilt , Gas Lift,
Chrome Plated Base

Executive Chair

GA-107

High Back Chair, Metallic PP Cushion Arm, Torsion Bar, Gas Lift, Metallic Powder Coated Metal Base



GA-108

Medium Back Chair, Metallic PP Cushion Arm, Torsion Bar, Gas Lift, Metallic Powder Coated Metal Base



GA-109

Visitor Chair, Metallic PP Cushion Arm, Powder Coated Pipe Stand



GA-110

High Back Chair, Pipe Frame, PU Chrome Arm, Gas Lift, Chrome Base, Swivel Tilt, Leatherite Tapestry



GA-111

Medium Back Chair, Pipe Frame, PU Chrome Arm, Gas Lift, Chrome Base, Swivel Tilt, Leatherite Tapestry



GA-112

Visitor Chair, Pipe Frame, PU Chrome Arm, Chrome Plated Pipe Stand, Leatherite Tapestry



Executive Chair

GA-113

High Back Chair, Chrome Plated Frame , PU Chrome Arm, Synchro Knee Tilt, Gas Lift, Chrome Base



GA-114

Medium Back Chair, Chrome Plated Frame , PU Chrome Arm, Synchro Knee Tilt, Gas Lift, Chrome Base



GA-115

Visitor Chair, Chrome Plated Frame, PU Chrome Arm, Chrome Plated Pipe Stand, Leatherite Tapestry



GA-116

High Back Chair, PP Cushion Arm, Gas lift, Nylon Base, Swivel Tilt, Leatherite Tapestry



GA-117

Medium Back Chair, PP Cushion Arm, Gas lift, Nylon Base, Swivel Tilt, Leatherite Tapestry



GA-118

Visitor Chair, PP Cushion Arm, Powder Coated Pipe Stand



Office Chair

GA-119

High Back Chair, PU Arm & PU Moulded Seat & Back, PP Seat Back Cover, Gas Lift, Nylon Base, Swivel Tilt, Fabric Tapestry



GA-120

Low Back Chair, PU Arm & PU Moulded Seat & Back, PP Seat Back Cover, Gas Lift, Nylon Base, Swivel Tilt, Fabric Tapestry



GA-121

Visitor Chair, PU Arm & PU Moulded Seat & Back, PP Seat Back Cover, Powder Coated Pipe Stand, Fabric Tapestry



GA-122

High Back Chair, PU Arm & PU Moulded Seat & Back, Gas Lift, Swivel Tilt, Nylon Base, Fabric Tapestry



GA-123

Low Back Chair, PU Arm & PU Moulded Seat & Back, Gas Lift, Swivel Tilt, Nylon Base, Fabric Tapestry



GA-124

Visitor Chair, PU Arm & PU Moulded Seat & Back, Powder Coated Pipe Stand, Fabric Tapestry



Office Chair

GA-125

High Back Chair, PU Adjustable arm , Adjustable Back, Seat Sliding, Chrome Base, Gas Lift, Synchro Knee Tilt, Seat & Back Mesh Tapestry



GA-126

Medium Back Chair, PU Adjustable arm , Adjustable Back, Seat Sliding, Chrome Base, Gas Lift, Synchro Knee Tilt, Seat & Back Mesh Tapestry



GA-127

High Back Chair, Fixed PP Arm , Gas Lift, Nylon Base, Swivel Tilt, Seat & Back Mesh Tapestry



GA-128

Medium Back Chair, Fixed PP Arm , Gas Lift, Nylon Base, Swivel Tilt, Seat & Back Mesh Tapestry



Office Chair

GA-129

Low Back Chair, PP Arm & Silver Powder Coated Pipe Frame, Gas Lift, Swivel Tilt, Powder Coated Pipe Base, Fabric Tapestry



GA-130

Visitor Chair, PP Arm & Silver Powder Coated Pipe Stand, Fabric Tapestry



GA-131

Medium Back Chair, PP Arm, Back Lumbar Support, Gas life, Push Back, Nylon Base, Mesh Back & Seat Tapestry



GA-132

Medium Back Chair, PP Arm, Back LGas life, Nylon Base, Swivel Tilt, Back & Seat Mesh Tapestry



Computer Chair

GA-133

Low Back Chair, PP Arm , Gas Lift, Push Back, Nylon Base, Mesh Back Seat Fabric Tapestry



GA-134

Medium Back Chair, PU Arm, Gas Lift, Synchro Tilt Nylon Base, Mesh Back Seat Fabric Tapestry



GA-135

Medium Back Chair, PP Arm, Gas Lift, Push Back, Nylon Base, PU Moulded Seat & Back, PP Seat Back Cover, Fabric Tapestry



GA-136

Low Back Chair, PP Arm, Gas Lift, Push Back, Nylon Base, PU Moulded Seat & Back, PP Seat Back Cover, Fabric Tapestry



GA-137

Low Back Chair, PP Arm, Gas Lift, Push Back, Nylon Base, PU Moulded Seat & Back, PP Back Cover, Fabric Tapestry



GA-138

Low Back Chair, without Arm, Gas Lift, Push Back, Nylon Base, PU Moulded Seat & Back, PP Back Cover, Fabric Tapestry



Office Chair

GA-139

Visitor Chair, Wooden Arm & Chrome Plated Pipe Stand, Fabric Tapestry



GA-140

Visitor Chair, Wooden Arm & Chrome Plated Pipe Stand, Fabric Tapestry



GA-141

Visitor Chair, Cushion Arm, SS Pipe Stand & Chrome Finish, Leatherite Tapestry



GA-142

Visitor Chair, PU Arm, Chrome Plated Pipe Stand, Leatherite Tapestry



GA-143

Visitor Chair, without Arm, Chrome Plated Pipe Stand, Fabric Tapestry



GA-144

Visitor Chair, PP Arm, Chrome Plated Pipe Stand, Seat & Back Leatherite Tapestry



GA-145

Visitor Chair, PU Arm, Silver Powder Coated Pipe Stand, Mash Back and Seat Fabric Tapestry



GA-146

Visitor Chair, Wooden Arm, Powder Coated or Chrome Plated Pipe Stand, Mash Back and Seat Fabric Tapestry



GA-147

Visitor Chair, without Arm, Powder Coated or Chrome Plated Pipe Stand, Mash Back and Seat Fabric Tapestry



Office Sofa

Zen-2

2 Seater Sofa, Wooden Frame, SS Pipe Leg,
Size in MM 1450(L)x 755 (D)x750(H)



Zen-3

3 Seater Sofa, Wooden Frame, SS Pipe Leg,
Size in MM 1920(L)x 755 (D)x750(H)



Zen-1

Single Seater Sofa, Wooden Frame, SS Pipe Leg,
Size in MM 865(L)x 755 (D)x750(H)



Aroma-2

2 Seater Sofa, Wooden Frame, Chrome Plated
Pipe Frame Legs
Size in MM 1475(L)x 760 (D)x860(H)



Aroma-3

3 Seater Sofa, Wooden Frame, Chrome Plated
Pipe Frame Legs
Size in MM 2005(L)x 760 (D)x860(H)



Aroma-1

Single Seater Sofa, Wooden Frame, Chrome Plated
Pipe Frame Legs
Size in MM 940(L)x 760 (D)x860(H)



Delite-3

3 Seater Sofa, Wooden Frame, SS Pipe Legs
Size in MM 1785(L)x 740 (D)x770(H)



Delite-2

2 Seater Sofa, Wooden Frame, SS Pipe Legs
Size in MM 1300(L)x 740 (D)x770(H)



Delite-1

Single Seater Sofa, Wooden Frame, SS Pipe Legs
Size in MM 700(L)x 740 (D)x770(H)



Visitor Chair

4 SEATER VISITOR CHAIR



- * Seat + Back in Single Piece with 1.2 mm Thickness Perforated cold rolled steel, Dully powder coated
- * Size 2320mm (L) x 770mm (D) x 500mm(W)
- * Beam Base frame with 2 mm thickness cold steel dully powder coated
- * Support leg beam 1.2mm thickness cold steel dully powder coated
- * Arm Rest with 1.2 mm cold steel dully powder coated.
- * All part shall be pretreated in 4-step anti -corrosion treatment (degreasing, anty-rusting, phosphating) Before being powder coated and baked in oven so as to achieve 45-50 micron thickness of the powder and a complete scratch resistant surface and superb Finish.
- * Seat and Back, Cushion or without Cushion.
- * Specification can be modified as per requirement.

- * Seat + Back in Single Piece with 1.2 mm Thickness Perforated cold rolled steel, Dully powder coated
- * Size 1740mm (L) x 770mm (D) x 500mm(W)
- * Beam Base frame with 2 mm thickness cold steel dully powder coated
- * Support leg beam 1.2mm thickness cold steel dully powder coated
- * Arm Rest with 1.2 mm cold steel dully powder coated.
- * All part shall be pretreated in 4-step anti -corrosion treatment (degreasing, anty-rusting, phosphating) Before being powder coated and baked in oven so as to achieve 45-50 micron thickness of the powder and a complete scratch resistant surface and superb Finish.
- * Seat and Back, Cushion or without Cushion.
- * Specification can be modified as per requirement.

3 SEATER VISITOR CHAIR



- * Seat + Back in Single Piece with 1.2 mm Thickness Perforated cold rolled steel, Dully powder coated
- * Size 1200mm (L) x 770mm (D) x 500mm(W)
- * Beam Base frame with 2 mm thickness cold steel dully powder coated
- * Support leg beam 1.2mm thickness cold steel dully powder coated
- * Arm Rest with 1.2 mm cold steel dully powder coated.
- * All part shall be pretreated in 4-step anti -corrosion treatment (degreasing, anty-rusting, phosphating) Before being powder coated and baked in oven so as to achieve 45-50 micron thickness of the powder and a complete scratch resistant surface and superb Finish.
- * Seat and Back, Cushion or without Cushion.
- * Specification can be modified as per requirement.

2 SEATER VISITOR CHAIR



3 SEATER VISITOR CHAIR Upcoming Soon



Office Table

EXECUTIVE-1



- * Particle Board & MDF Top
- * Size W2250 x D2180 x H 750
- * Size W2000 x D2100 x H 750
- * Size W1800 x D2000 x H 750



EXECUTIVE-2



- * Particle Board
- * Size W2200 x D1950 x H 750
- * Size W2000 x D2850 x H 750
- * Size W1800 x D1750 x H 750

Office Table

EXECUTIVE-3



- * Particle Board
- * Size W1950 x D1750 x H 750
- * Size W1800 x D1650 x H 750
- * Size W1600 x D1650 x H 750



OFFICE-1

- * Particle Board
- * Size W1500 x D750 x H 750
- * Size W1350 x D600 x H 750
- * Size W1200 x D600 x H 750



OFFICE-2

- * Particle Board
- * Size W1500 x D750 x H 750
- * Size W1350 x D750 x H 750
- * Size W1200 x D600 x H 750

Office Table



OFFICE-3

- * Pipe Frame 25mm X 25mm X 1.2 mm Thickness
- * One Side 3 Drawer and other File Cabinet
- * Top and Footrest Sheet Frame 1.5 Thickness
- * Top Size W1500 x D900 x H750 or W1800 x D900 x H750 mm
- * Specification can be modified as per requirement.



OFFICE-4

- * Pipe Frame 25mm X 25mm X 1.2 mm Thickness
- * One Side 3 Drawer
- * Top and Footrest Sheet Frame 1.5 Thickness
- * Top Size W1365 x D750 or W1200 x D750 or W1200 x D600 or W900 x D600 mm
- * Specification can be modified as per requirement.



OFFICE-5

- * Table of size 1365mm W x 680mm D x 750mm H
1200mm W x 600mm D x 750mm H
- * Specification
- * The worktop shall be made of 18mm +/- 1mm thick -laminated board, All work top Edges Shall be duly sealed with 2 mm thick PVC Beading, The Tubular frame shall be made of MSERW round tube : Dia 25.4mm X 1.2mm thick. The table frame shall have foot rest for resting legs. The table shall have one drawer unit with 3 drawers for storage. The table frame shall have foot rest for resting legs. The table shall have one drawer unit with 3 drawers for storage. The table Drawer unit shell & front shell be made of 0.8 mm thick CRCA MS having Friction Slides of 1.2mm thick CRCA MS. The Drawer unit shall have 6 lever lock & in Built plastic handle .
- * Specification can be modified as per requirement.

Office Workstation

WORKSTATION - 1

Workstation Table, Panel
Based Partition
Particle Board Edge
Banded Top
Size

W2520 x D1260 x H1200

* Specification can be modified as
per requirement.



WORKSTATION - 2

Workstation Table, Panel
Based Partition
Particle Board Edge
Banded Top
Size

W2000 x D1260 x H1200

* Specification can be modified as
per requirement.

WORKSTATION - 3

Workstation Table, Panel
Based Partition
Particle Board Edge
Banded Top
Size

W1320 x D660 x H1200

* Specification can be modified as
per requirement.



Office Table

COMPUTER TABLE-

Particle Board Edge
Banded Top
Size

W1200 x D600 x H750

* Specification can be modified as
per requirement.



COMPUTER TABLE-

Particle Board Edge
Banded Top
Size

W1200 x D600 x H750 or

W1500 x D750 x H750

* Specification can be modified as
per requirement.

Conferenc Table

CONFERENCE 1

Conference Table Particle Board and MDF Top

* Specification can be modified as per requirement.



CONFERENCE 2

Conference Table Particle Board and MDF Top

* Specification can be modified as per requirement.



CONFERENCE 3

Conference Table Particle Board

Edge Banded Top

Dia 1200 X H750

Dia 1050 X H750

Dia 900 X H750

* Specification can be modified as per requirement.

Student Training Chari

STUDENT/TRAINING -1

Student /Training Room Chair, PLPB writing Pad, powder Coated pipe frame, Book tray under seat, seat back fabric tapestry

* Specification can be modified as per requirement.



STUDENT/TRAINING -2

Student /Training Room Chair, PU Arm, PLPB Folding Writing pad, Book Tray Under Seat, Powder Coated pipe Frame, Fabric Tapestry, Writing Pad Size : 535 X 300 X 18 mm Thick

* Specification can be modified as per requirement.



STUDENT/TRAINING -3

Student /Training Room Chair, PLPB Folding, Writing pad, PP Seat Back, powder Coated pipe frame,

* Specification can be modified as per requirement.



Student Class Desk

STUDENT DESK-1

* Specification as per costumer requirement.



STUDENT DESK-2

* Specification as per costumer requirement.



STUDENT DESK-3

* Specification as per costumer requirement.



STUDENT DESK-4

* Specification as per costumer requirement.



STUDENT DESK-5

* Specification as per costumer requirement.



STUDENT DESK-6

* Specification as per costumer requirement.



STEEL CUP BOARDS (BIG)-I STEEL OFFICE ALMIRAH ADJUSTABLE SHELVES



Size: - 190cm-200cm- Height (inclusive of 15cm pedestal height)

1. 90cm-95cm-width

2. 45cm-50cm-depth.

Shelves: -4 or 5 adjustable shelves are forming 6 compartments.

Steel to be used:-Pretreated Prime quality CRCA steel conforming to IS-513 Gr. D

3. Quality

Thickness of steel: -20 or 22 SWG for Body and shelves

4. 18 or 20 or 21 SWG for the doors Painting: - Epoxy polyester powder coated of 50 microns or more dry film

5. Thickness and oven baked at a uniform temperature of 180 to 200 degrees centigrade.

6. All steel components would have multiband construction to be

7. Done with tack welding to ensure rigidity and strength.

Locking device: 3 ways bolting device which inter-locks body both at the top and the bottom with the help of a tongue-in-groove mechanism plus a 6 lever unpick able.

8. Lock.

Handle: - To be made of Chrome plated non-ferrous metal alloy

Doors: - To be stiffened by Hat shaped full height steel stiffeners spot-welded to the

9. Backs of the doors.

Color: - Grey

*** Specification can be modified as per requirement.**

STEEL CUP BOARDS (BIG)-2 STEEL OFFICE ALMIRAH FIXED SHELVES



Size: - 190cm-200cm- Height (inclusive of 15cm pedestal height)

1. 90cm-95cm-width

2. 45cm-50cm-depth.

Shelves: -4 or 5 Fixed shelves are forming 6 compartments.

Steel to be used:-Pretreated Prime quality CRCA steel conforming to IS-513 Gr. D

3. Quality

Thickness of steel: -20 or 22 SWG for Body and shelves

4. 18 or 20 or 21 SWG for the doors Painting: - Epoxy polyester powder coated of 50 microns or more dry film

5. Thickness and oven baked at a uniform temperature of 180 to 200 degrees centigrade.

6. All steel components would have multiband construction to be

7. Done with tack welding to ensure rigidity and strength.

Locking device: 3 ways bolting device which inter-locks body both at the top and the bottom with the help of a tongue-in-groove mechanism plus a 6 lever unpick able.

8. Lock.

Handle :- To be made of Chrome plated non-ferrous metal alloy

Doors :- To be stiffened by Hat shaped full height steel stiffeners spot-welded to the

9. Backs of the doors.

Color :- Grey

*** Specification can be modified as per requirement.**

**STEEL CUP BOARDS (BIG)-3
STEEL OFFICE ALMIRAH
ADJUSTABLE & FIXED SHELVES
WITHOUT PEDESTAL**



Size :- 190cm-200cm- Height (inclusive of 15cm pedestal height)

1. 90cm-95cm-width
2. 45cm-50cm-depth.
Shelves: -4 or 5 Fixed shelves are forming 6 compartments.
Steel to be used:-Pretreated Prime quality CRCA steel conforming to IS-513 Gr. D
3. Quality
Thickness of steel: -20 or 22 SWG for Body and shelves
4. 18 or 20 or 21 SWG for the doors Painting: - Epoxy polyester powder coated of 50 microns or more dry film
5. Thickness and oven baked at a uniform temperature of 180 to 200 degrees centigrade.
6. All steel components would have multiband construction to be
7. Lock.
Handle: - To be made of Maruti Lock
Doors: - To be stiffened by Hat shaped full height steel stiffeners spot-welded to the
8. Backs of the doors.
Color: - Grey

***Specification can be modified as per requirement.**

**STEEL CUP BOARDS (BIG)-4
STEEL OFFICE ALMIRAH
ADJUSTABLE & FIXED SHELVES
WITH PEDESTAL**



**STEEL CUP BOARDS (SMALL)-3
STEEL OFFICE ALMIRAH
ADJUSTABLE & FIXED SHELVES**



Size:- 120cm-130cm-Height (inclusive of 15cm pedestal height)

1. 90cm-95cm or 75cm-80cm - width
2. 45cm-50cm- or 43mm - 44 cm depth
Shelves:- 3 fixed or Adjustable shelves are forming 4 compartments.
Steel to be used:- Pretreated Prime quality CRCA steel conforming to IS-513 Gr. D
3. Quality. Thickness of steel:- 20 or 22 SWG for Body and shelves.
4. 20 SWG for the doors.
Painting:- Epoxy polyester powder coated of 50 microns or more dry film
5. Thickness and oven baked at a uniform temperature of 180 to 200 degrees centigrade.
6. All steel components would have multiband construction to be
7. Done with tack welding to ensure rigidity and strength.
Locking device:- 3 ways bolting device which inter-locks body both at the top and the bottom with the help of a tongue-in-groove mechanism plus a 6 lever unpick able
8. Lock. Handle:- To be made of Chrome plated non-ferrous metal alloy.
Doors:- To be stiffened by Hat shaped full height steel stiffeners spot-welded to the
9. Backs of the doors.
Color:- Grey
All dimensions with open tolerance of +/- 10 mm.

*** Specification can be modified as per requirement.**



**STEEL CUP BOARDS (BIG)-3
STEEL OFFICE ALMIRAH GLASS DOOR
ADJUSTABLE & FIXED SHELVES**



- Size: - 190cm-200cm- Height (inclusive of 15cm pedestal height)
1. Glass Door Library Almirah
 2. 90cm-95cm-width
 3. 45cm-50cm-depth.
Shelves: -4 or 5 Fixed shelves are forming 6 compartments.
Steel to be used:-Pretreated Prime quality CRCA steel conforming to IS-513 Gr. D
 4. Quality
Thickness of steel: -20 or 22 SWG for Body and shelves
 5. 18 or 20 or 21 SWG for the Glass doors
Painting: - Epoxy polyester powder coated of 50 microns or more dry film
 6. Thickness and oven baked at a uniform temperature of 180 to 200 degrees centigrade.
 7. All steel components would have multiband construction to be
 8. Done with tack welding to ensure rigidity and strength.
Locking device: 3 ways bolting device which inter-locks body both at the top and the bottom with the help of a tongue-in-groove mechanism plus a 6 lever unpick able.
 9. Lock.
Handle: - To be made of Chrome plated non-ferrous metal alloy
Color: - Grey

*** Specification can be modified as per requirement.**

STEEL BOOK CASE



- Book Case:
Overall Dimension
1. C) 4-Door Book Case-
 2. Height= 1680mm
 3. Width= 840mm
 4. Depth= 305mm
 5. (+/- 5mm variation of all the sizes.
- Smooth operation of Doors**
1. Should be smooth in Operation and Door should be fix by scissors mechanism or roller slide channel Mechanism.
- Locking of Doors**
1. Each door to be secured by 6 lever lock with common keys for all doors.
Steel Used
 2. 22 SWG CRCA sheets should be used treated and powder coated.
- Painting**
1. A proxy coated paint of not less than with 45 Microns Dry Films Thickness should be Applied.
- Glass**
1. 5mm plain glass without wrinkle embedded in rubber beading to be fitted on the doors.
- Color-**
1. Grey/Cream Color

*** Specification can be modified as per requirement.**



PIGEON HOLE ALMIRAH-1 (WITHOUT PEDESTAL)

- 1) With 6 or 9 or 12 or 15 or 18 Pigeon Holes
 - a) 195 -200 cm Height
 - b) 45-50 cm Depth
 - c) 90-95 cm width
- 2) Made out of CRCA sheet of 22 gauge for body, shelves and partitions and 20 gauge for Doors.
- 3) Painting: Epoxy polyester powder coated of 50 microns.
- 4) All steel components would have multiband construction to be done with mig welding to ensure rigidity and strength.
- 5) Provision for pad lock for locking individual pigeon hole should be provided.
- With 9 Pigeon Holes:-
 - 6) 195-200 cm Height (Inclusive of 15 cm pedestal height)
 - 7) 45-50 cm Depth
 - 8) 90-95 cm width
- 9) Made out of CRCA sheet of 22 gauge for body, shelves and partitions and 20 gauge for Doors.
- 10) Painting: Epoxy polyester powder coated of 50 microns.
- 11) All steel components would have multiband construction to be done with mig welding to ensure rigidity and strength.
- 12) Provision for pad lock for locking individual pigeon hole should be provided.

*** Specification can be modified as per requirement.**



PIGEON HOLE ALMIRAH-2 (WITH PEDESTAL)

- 1) With 6 or 9 or 12 or 15 or 18 Pigeon Holes
 - a) 195 -200 cm Height (Inclusive of 15 cm pedestal height)
 - b) 45-50 cm Depth
 - c) 90-95 cm width
- 2) Made out of CRCA sheet of 22 gauge for body, shelves and partitions and 20 gauge for Doors.
- 3) Painting: Epoxy polyester powder coated of 50 microns.
- 4) All steel components would have multiband construction to be done with mig welding to ensure rigidity and strength.
- 5) Provision for pad lock for locking individual pigeon hole should be provided.
- With 9 Pigeon Holes:-
 - 6) 195-200 cm Height (Inclusive of 15 cm pedestal height)
 - 7) 45-50 cm Depth
 - 8) 90-95 cm width
- 9) Made out of CRCA sheet of 22 gauge for body, shelves and partitions and 20 gauge for Doors.
- 10) Painting: Epoxy polyester powder coated of 50 microns.
- 11) All steel components would have multiband construction to be done with mig welding to ensure rigidity and strength.
- 12) Provision for pad lock for locking individual pigeon hole should be provided.

*** Specification can be modified as per requirement.**

COMPACTOR -1

* Specification as per customer requirement.



COMPACTOR -2

* Specification as per customer requirement.



SS & Steel Rack Open Type Rack -1

1) Over all Dimensions:

Height = 1900mm

Width = 915mm

Depth = 370mm (+/- 5mm variation in all sides)

2) Angle: Slotted angle should not be less than 40x40mm x 2mm


3) Shelves: Shelves should be made from M.S. or S.S. grade 304 sheets 20SWG (1.0mm thick) on all the sides. Dimensions of the bends on four sides should be 30x 15mm. These are to be fitted at equal space.

4) Corners: These should be made from M.S. or S.S. sheet of 1.6 mm thick. The shelves are to be bolted with the angles on all corners using hexagonal nuts and bolts 8mm dia. X 15mm (Electro galvanized). The corners are to be fitted on upper and lower shelves at front and rear corners adjacent to the angles leaving a clearance of 75mm at the Bottom shelf.

* Size ,Gauge, No. of Shelves & Any Other Specification as per customer requirement.

PERSONAL LOCKER -1

* Specification as per costumer requirement.



PERSONAL LOCKER -2

* Specification as per costumer requirement.



FILE CABINET -1

* Specification as per costumer requirement.



FILE CABINET -2

* Specification as per costumer requirement.




HOSTEL BED -1

* Design & Specification as per costumer requirement.



HOSTEL BED -2

* Design & Specification as per costumer requirement.



HOSTEL BED -3

* Design & Specification as per costumer requirement.



HOSPITAL BED -1

* Design & Specification as per customer requirement.



HOSPITAL BED -2

* Design & Specification as per customer requirement.



HOSPITAL BED -3

* Design & Specification as per customer requirement.



HOSPITAL BED -4

* Design & Specification as per customer requirement.





CRASH CART

Crash Cart

1. Frame work made up of stainless steel tube.
2. Good quality rust free stainless steel should be used.
3. Size: Height-1500 to 1550 (From Base to Top)
Depth- 450mm to 500 mm (Frame to Frame)
Width- 650 to 700mm (Frame to Frame)
4. Two light weight polystyrene boxes each with three Drawers.
5. Provision to hold oxygen cylinder. cardiac massage board should be provided & it should be roller based inside the frame. Should provide with S.S.IV rod.
6. Should have at least 6 colour handout bins to keep important supplies at eye level.
7. At least two S.S. Shelves to carry monitors, ECG Machines etc.
8. Should have suitable size castors of noise free with flexible transportation with easy Operation brakes.

*** Specification can be modified as per requirement.**



STRETCHER -1

*** Design & Specification as per costumer requirement.**

BED SIDE LOOKER -1

* Design & Specification as per costumer requirement.



OXIGEN CYLINDER TROLLEY -1

* Design & Specification as per costumer requirement.



I.V. STAND

* Design & Specification as per costumer requirement.



BED SIDE SCREEN 3 Fold-1

* Design & Specification as per customer requirement.



BED SIDE SCREEN 3 Fold-2

* Design & Specification as per customer requirement.



BED SIDE SCREEN 4 Fold-1

* Design & Specification as per customer requirement.



PATIENT REVOLVING STOOL (3 LEGS)

* Design & Specification as per costumer requirement.



PATIENT REVOLVING STOOL (4 LEGS)

* Design & Specification as per costumer requirement.



SINGLE STEP

* Design & Specification as per costumer requirement.



TWO STEP (SS)

* Design & Specification as per costumer requirement.



TWO STEP (POWDER COATED)

* Design & Specification as per costumer requirement.

GOLF

GANGA AGENCIES

Office Furniture | School Furniture | Hospital Furniture

UNIT-1

Near Radha Swami Satsang Bhawan,
Jind Road, Rohtak, Haryana-124001.

UNIT-2

Plot No-14, Near Jind Bypass Flyover,
Gaushala Gali, Rohtak, Haryana-124001

Mobile : 7015513854, 9416350915
E-mail : gangaagencies.pv@gmail.com

